



## **PRODUCT SPECIFICATION**

### **GP Portable PowerBank Model : GP321A**

#### **Revision History**

<b>Revision</b>	<b>Date</b>	<b>Initiator</b>	<b>Reason for Change</b>
00	20 Aug 2012	KY Cheuk	New release
01	19 Mar 2013	KY Cheuk	Updated product shot

<b>Prepared By</b>	<b>Approved By</b>
KY Cheuk	Tom Tsang
Date: 19 Mar 2013	Date: 19 Mar 2013

### **GPI International Limited**

Gold Peak Building, 8/F, 30 Kwai Wing Road,  
Kwai Chung, New Territories, Hong Kong.  
Tel: (852) 2484 3333 Fax: (852) 24805912  
Email: [gpi@goldpeak.com](mailto:gpi@goldpeak.com)  
Website: <http://www.gpbatteries.com>



Member  
Gold Peak Group

Manufacturer reserves the right to alter or amend the design, model and specification without prior notice.

# GP Batteries

---

## Product Specification

Model no.: GP321A

---



Micro USB Charging Cable  
(Input / Output)

---

Product Name	: GP Portable PowerBank GP321A
Description	: Back up power for USB powered electronic devices (e.g. iPhone 4S, iPad 2)
Battery Rating	: Li-ion 3.7V 2600mAh 9.62Wh
Input	: 750mA / 5V DC
Output	: 1000mA / 5V DC
Application	: Charge USB powered electronic devices
Recharging Time	: 4.5 hours (approx.)
Discharging Time	: 1.3 hours (approx.) (The discharging time may vary for different devices)
Operation Temperature	: 0°C to 40°C
Termination Methods	: 1) Over temperature protection 2) Over power protection 3) Over / under voltage protection 4) Short circuit protection

---



Member  
Gold Peak Group


Manufacturer reserves the right to alter or amend the design, model and specification without prior notice.

# GP Batteries

## Product Specification

Model no.: GP321A


LED Indication : **Charging the Portable PowerBank :**



**Discharging the Portable PowerBank :**

Refer to the electronic device for charging status.

**Press button to show battery status :**



Dimensions : 90 (L) x 32 (W) x 25 (H) mm

Weight : 78g (approx.)

Approval : CE, FCC

Warranty Period : 12 months from ex-factory date