



PRODUCT SPECIFICATION

GP Portable PowerBank Model : FN03M

Revision History

Revision	Date	Initiator	Reason for Change
0.0	22 May 2015	Keness Wong	New release

Prepared By	Approved By
Keness Wong	Patrick Lee
Date: 22 May, 2015	Date: 22 May, 2015


GPI International Limited

Gold Peak Building, 8/F, 30 Kwai Wing Road,
Kwai Chung, New Territories, Hong Kong.
Tel: (852) 2484 3333 Fax: (852) 24805912
Email: gpii@goldpeak.com
Website: <http://www.gpbatteries.com>

GP Batteries

Product Specification

Model no.: FN03M



Product Name	: GP Portable PowerBank FN03M
Description	: Back up power for USB powered electronic devices (e.g. smartphones, tablet PCs)
Battery Rating	: Lithium ion 3.8V 3000mAh 11.4Wh
Input	: 1A / 5V DC
Output	: 1.2A / 5V DC
Application	: Charge USB powered electronic devices
Recharging Time	: 5 hours (approx.)
Discharging Time	: 1.5 hours (approx.) (The discharging time may vary for different devices)
Operation Temperature	: 5°C to 45°C
Safety protection	: 1) Over and under temperature protection 2) Over current protection 3) Over charging protection 4) Over discharging protection 5) Short circuit protection



Member
Gold Peak Group

Manufacturer reserves the right to alter or amend the design, model and specification without prior notice.

GP Batteries

Product Specification

Model no.: FN03M

LED Indication :

Charging and Discharging the PowerBank

Table 1

Charging & Discharging	LED indicator
Charging	Green flashing
Discharging	Refer to battery status (Table 2)
Fully charged	Green LED On
Errors	Red LED fast flashing

Press button to show battery status

Table 2

Battery Strength	LED indicator
Good	Green
Average	Yellow
Weak	Red LED
Very Weak	Red LED slow flashing
No Power	No LED

Dimensions : 25 (L) x 25 (W) x 99 (H) mm
Weight : 87g +/- 5g (approx.)
Certification : CE, FCC, UN38.3
Warranty Period : 12 months from ex-factory date