

GP Batteries

PRODUCT SPECIFICATION

GP Portable PowerBank Model : 352PA

Revision History

Revision	Date	Initiator	Reason for Change
0.0	4 December 2014	KY Cheuk	New release
0.1	19 March 2015	KY Cheuk	Revised model name; Added product drawing

Prepared By	Approved By
KY Cheuk	Tom Tsang
Date: 19 March 2015	Date: 19 March 2015


GPI International Limited

Gold Peak Building, 8/F, 30 Kwai Wing Road,
Kwai Chung, New Territories, Hong Kong.
Tel: (852) 2484 3333 Fax: (852) 24805912
Email: gpii@goldpeak.com
Website: <http://www.gpbatteries.com>

GP Batteries

Product Specification

Model no.: 352PA




Product Name	: GP Portable PowerBank 352PA
Description	: Back up power for USB powered electronic devices (e.g. smartphones, tablet PCs)
Battery Rating	: Lithium polymer 3.7V 5200mAh 19.24Wh
Input	: 1A / 5V DC
Output	: 2.1A / 5V DC (2 outputs)
Application	: Charge USB powered electronic devices
Recharging Time	: 7.5 hours (approx.)
Discharging Time	: 1.5 hours (approx.) (The discharging time may vary for different devices)
Operation Temperature	: 0°C to 40°C
Termination Methods	: 1) Over temperature protection 2) Over power protection 3) Over / under voltage protection 4) Short circuit protection

GP Batteries

Product Specification

Model no.: 352PA


LED Indication : **Charging the Portable PowerBank :**



Discharging the Portable PowerBank :

All LEDs are off. Refer to the electronic device for charging status.

Press button to show battery status :



Dimensions : 112 (L) x 63 (W) x 13.5 (H)mm

Weight : 135g (approx.)

Approval : CE, FCC, UN38.3

Warranty Period : 12 months from ex-factory date